



```
FontPath "/usr/share/fonts/latin7/75dpi:unscaled"
FontPath "/usr/share/fonts/baekmuk:unscaled"
FontPath "/usr/share/fonts/japanese:unscaled"
FontPath "/usr/share/fonts/kwintv"
FontPath "/usr/share/fonts/truetype"
FontPath "/usr/share/fonts/uni:unscaled"
FontPath "/usr/share/fonts/CID"
FontPath "/usr/share/fonts/ucs/misc:unscaled"
FontPath "/usr/share/fonts/ucs/75dpi:unscaled"
FontPath "/usr/share/fonts/ucs/100dpi:unscaled"
FontPath "/usr/share/fonts/hellas/misc:unscaled"
FontPath "/usr/share/fonts/hellas/75dpi:unscaled"
FontPath "/usr/share/fonts/hellas/100dpi:unscaled"
FontPath "/usr/share/fonts/hellas/Type1"
FontPath "/usr/share/fonts/misc/sgi:unscaled"
FontPath "/usr/share/fonts/xtest"
FontPath "/opt/kde3/share/fonts"
InputDevices "/dev/gpmdata"
InputDevices "/dev/input/mice"
EndSection
```

#### Section "ServerFlags"

```
Option "AllowMouseOpenFail" "on"
Option "ZapWarning" "on"
EndSection
```

#### Section "Module"

```
Load "glx"
Load "type1"
Load "extmod"
Load "dbe"
Load "freetype"
EndSection
```

#### Section "InputDevice"

```
Driver "kbd"
Identifier "Keyboard[0]"
Option "Protocol" "Standard"
Option "XkbLayout" "us,ru"
Option "XkbModel" "microsoftpro"
Option "XkbOptions" "grp:ctrl_shift_toggle,grp_led:scroll"
Option "XkbRules" "xfree86"
Option "XkbVariant" ",winkeys"
EndSection
```

#### Section "InputDevice"

```
Driver "mouse"
Identifier "Mouse[1]"
```

```
Option "Buttons" "5"
Option "Device" "/dev/input/mice"
Option "Name" "ImPS/2 Generic Wheel Mouse"
Option "Protocol" "explorerps/2"
Option "Vendor" "Sysp"
Option "ZAxisMapping" "4 5"
EndSection
```

#### Section "Monitor"

```
Option "CalcAlgorithm" "XServerPool"
DisplaySize 386 290
HorizSync 30-81
Identifier "Monitor[0]"
ModelName "SYNCMaster 931C (DIGITAL)"
Option "DPMS"
Option "PreferredMode" "1280x1024"
VendorName "SAMSUNG"
VertRefresh 56-75
UseModes "Modes[0]"
EndSection
```

#### Section "Modes"

```
Identifier "Modes[0]"
EndSection
```

#### Section "Screen"

```
DefaultDepth 24
SubSection "Display"
    Depth 15
    Modes "1280x1024" "1280x960" "1280x800" "1152x864" "1280x768" "1280x720" "1024x768"
    "1280x600" "1024x600" "800x600" "768x576" "640x480"
EndSubSection
SubSection "Display"
    Depth 16
    Modes "1280x1024" "1280x960" "1280x800" "1152x864" "1280x768" "1280x720" "1024x768"
    "1280x600" "1024x600" "800x600" "768x576" "640x480"
EndSubSection
SubSection "Display"
    Depth 24
    Modes "1280x1024" "1280x960" "1280x800" "1152x864" "1280x768" "1280x720" "1024x768"
    "1280x600" "1024x600" "800x600" "768x576" "640x480"
EndSubSection
SubSection "Display"
    Depth 8
    Modes "1280x1024" "1280x960" "1280x800" "1152x864" "1280x768" "1280x720" "1024x768"
    "1280x600" "1024x600" "800x600" "768x576" "640x480"
```

```
EndSubSection
Device "Device[0]"
Identifier "Screen[0]"
Monitor "Monitor[0]"
EndSection
```

**Section "Device"**

```
BoardName "GeForce 8500 GT"
BusID "3:0:0"
Driver "nvidia"
Identifier "Device[0]"
Screen 0
# Option "RandRRotation" "on"
Option "Rotate" "Inverted"
VendorName "NVidia"
EndSection
```

Section "ServerLayout"

```
Identifier "Layout[all]"
InputDevice "Keyboard[0]" "CoreKeyboard"
InputDevice "Mouse[1]" "CorePointer"
Option "Clone" "off"
Option "Xinerama" "off"
Screen "Screen[0]"
EndSection
```

Section "DRI"

```
Group "video"
Mode 0660
EndSection
```

Section "Extensions"

```
Option "Composite" "on"
EndSection
```

Ôïðòì [òóò](#)