

Èàè ìãàðíóòù ýèðáí íà 180 ãðààóñíà?

Ðàçäàè : Ñèñòàìà. Ààìèèèñòðèðíààèà

Ìíóáèèèîàíí -=FORWARD=- [11/09/2008]

Íààððíà íà ìíàè ÷ Ààñ óààæààìùà ìèùçíààòàèè ìðèðíàèèíñ ã èèíóèñ èçíáíýòù ìðèáíòàèèèè ýèðáíà íà ñàìèò ìíèòèðàð. Àà, à àèíáíóñ ýòí ñààèàòù ìæíí áóèààèùíí à ààà èèèèà. Íààí áóíàòù ÷òí è à èèíóèñ ýòí òàè æà àíçííæíí, íí íà à ìàðó èèèèíà à à ìðààèà ìàðù ñòðíè òàèèíà èííèèèòàèèè.

Àèý òíàí òíàí ÷òíáú ìæíí áúèí ìíàððà÷èààòù ýèðáí ìðíààèùààà ñèààóðùàà.

Èíàíáíè \$ **xrandr** íáíáðíàèèí à **/etc/x11/xorg.conf**

à ñàèòèè "**Device**" àíàààèòù:

Option "RandRRotation" "on"

Àñèè æà ìíàíáíèèèíñ ÷òíáú èèññ çààðóæàèèèñ óæà ðàçäàðíóòùèè èàè òí ààí è òðàáóàòñý, òí àíàñòí

ìðààùàòùàè ñòðíèè íáíáðíàèèí àíèñàòù:

Option "Rotate" "inverted" à ìí,ì ñèó÷àà ýòí 180 ãðààóñíà (inverted)

àò ìðèíàð íàñòðíèèè (ðàáí÷èè) xorg.conf:

```
# ./.../
# SaX generated X11 config file
# Created on: 2008-09-06T19:36:05+0300.
#
# Version: 8.1
# Contact: Marcus Schaefer , 2005
# Contact: SaX-User list https://lists.berlios.de/mailman/listinfo/sax-users>
#
# Automatically generated by [ISaX] (8.1)
# PLEASE DO NOT EDIT THIS FILE!
#
```

Section "Files"

```
FontPath "/usr/share/fonts/misc:unscaled"
FontPath "/usr/share/fonts/local"
FontPath "/usr/share/fonts/75dpi:unscaled"
FontPath "/usr/share/fonts/100dpi:unscaled"
FontPath "/usr/share/fonts/Type1"
FontPath "/usr/share/fonts/URW"
FontPath "/usr/share/fonts/Speedo"
FontPath "/usr/share/fonts/PEX"
FontPath "/usr/share/fonts/cyrillic"
FontPath "/usr/share/fonts/latin2/misc:unscaled"
FontPath "/usr/share/fonts/latin2/75dpi:unscaled"
FontPath "/usr/share/fonts/latin2/100dpi:unscaled"
FontPath "/usr/share/fonts/latin2/Type1"
```

FontPath "/usr/share/fonts/latin7/75dpi:unscaled"
FontPath "/usr/share/fonts/baekmuk:unscaled"
FontPath "/usr/share/fonts/japanese:unscaled"
FontPath "/usr/share/fonts/kwintv"
FontPath "/usr/share/fonts/truetype"
FontPath "/usr/share/fonts/uni:unscaled"
FontPath "/usr/share/fonts/CID"
FontPath "/usr/share/fonts/ucs/misc:unscaled"
FontPath "/usr/share/fonts/ucs/75dpi:unscaled"
FontPath "/usr/share/fonts/ucs/100dpi:unscaled"
FontPath "/usr/share/fonts/hellas/misc:unscaled"
FontPath "/usr/share/fonts/hellas/75dpi:unscaled"
FontPath "/usr/share/fonts/hellas/100dpi:unscaled"
FontPath "/usr/share/fonts/hellas/Type1"
FontPath "/usr/share/fonts/misc/sgi:unscaled"
FontPath "/usr/share/fonts/xtest"
FontPath "/opt/kde3/share/fonts"
InputDevices "/dev/gpmdata"
InputDevices "/dev/input/mice"
EndSection

Section "ServerFlags"

Option "AllowMouseOpenFail" "on"
Option "ZapWarning" "on"
EndSection

Section "Module"

Load "glx"
Load "type1"
Load "extmod"
Load "dbe"
Load "freetype"
EndSection

Section "InputDevice"

Driver "kbd"
Identifier "Keyboard[0]"
Option "Protocol" "Standard"
Option "XkbLayout" "us,ru"
Option "XkbModel" "microsoftpro"
Option "XkbOptions" "grp:ctrl_shift_toggle,grp_led:scroll"
Option "XkbRules" "xfree86"
Option "XkbVariant" ",winkeys"
EndSection

Section "InputDevice"

Driver "mouse"
Identifier "Mouse[1]"

```
Option "Buttons" "5"
Option "Device" "/dev/input/mice"
Option "Name" "ImPS/2 Generic Wheel Mouse"
Option "Protocol" "explorerps/2"
Option "Vendor" "Sysp"
Option "ZAxisMapping" "4 5"
```

EndSection

Section "Monitor"

```
Option "CalcAlgorithm" "XServerPool"
DisplaySize 386 290
HorizSync 30-81
Identifier "Monitor[0]"
ModelName "SYNCMaster 931C (DIGITAL)"
Option "DPMS"
Option "PreferredMode" "1280x1024"
VendorName "SAMSUNG"
VertRefresh 56-75
UseModes "Modes[0]"
```

EndSection

Section "Modes"

```
Identifier "Modes[0]"
```

EndSection

Section "Screen"

```
DefaultDepth 24
```

SubSection "Display"

```
Depth 15
Modes "1280x1024" "1280x960" "1280x800" "1152x864" "1280x768" "1280x720" "1024x768"
"1280x600" "1024x600" "800x600" "768x576" "640x480"
```

EndSubSection

SubSection "Display"

```
Depth 16
Modes "1280x1024" "1280x960" "1280x800" "1152x864" "1280x768" "1280x720" "1024x768"
"1280x600" "1024x600" "800x600" "768x576" "640x480"
```

EndSubSection

SubSection "Display"

```
Depth 24
Modes "1280x1024" "1280x960" "1280x800" "1152x864" "1280x768" "1280x720" "1024x768"
"1280x600" "1024x600" "800x600" "768x576" "640x480"
```

EndSubSection

SubSection "Display"

```
Depth 8
Modes "1280x1024" "1280x960" "1280x800" "1152x864" "1280x768" "1280x720" "1024x768"
"1280x600" "1024x600" "800x600" "768x576" "640x480"
```

```
EndSubSection
Device "Device[0]"
Identifier "Screen[0]"
Monitor "Monitor[0]"
EndSection
```

Section "Device"

```
BoardName "GeForce 8500 GT"
BusID "3:0:0"
Driver "nvidia"
Identifier "Device[0]"
Screen 0
# Option "RandRRotation" "on"
Option "Rotate" "Inverted"
VendorName "NVidia"
EndSection
```

Section "ServerLayout"

```
Identifier "Layout[all]"
InputDevice "Keyboard[0]" "CoreKeyboard"
InputDevice "Mouse[1]" "CorePointer"
Option "Clone" "off"
Option "Xinerama" "off"
Screen "Screen[0]"
EndSection
```

Section "DRI"

```
Group "video"
Mode 0660
EndSection
```

Section "Extensions"

```
Option "Composite" "on"
EndSection
```

Ôïðòì [òóò](#)