

Èàè ìãàðíóòù ýèðáí íà 180 ãðààóñíà?

Ðàçäàè : Ñèñòàìà. Ààìèèèñòðèðíààèà

Îíóáèèèîàáîí -=FORWARD=- [11/09/2008]

Íàááðííà íà ìííàèì èç Ààñ óààæàáàíùà ìèùçíààòàèè ìðèðíàèèíñ ã èèíóèñ èçíáíýòù ìðèáíòàòèð ýèðáíà íà ñàìèò ìíèòèðàò. Àà, à àèíáíóñ ýòí ñàáèàòù ìæíí áóèèàèèíí à áàà èèèèà. Íàáí áóíàòù ÷òí è à èèíóèñ ýòí òàè æà àíçííæíí, íí íà à ìàðò èèèèíà à à ìðààèà ìàðù ñòðíè òàèèíà èííèèèðàòèè.

Äèý òíáí òíáí ÷òíáú ìæíí áúèí ìííðà÷èààòù ýèðáí ìðíàèèùáàà ñèááòðùà.

Èííàíáè \$ **xrandr** íáíáðíàèèí à **/etc/x11/xorg.conf**

à ñàèòèè "**Device**" àíáààèòù:

Option "RandRRotation" "on"

Áñèè æà ìííàíáèèèíñ ÷òíáú èèññ çàððóæàèèññ óæà ðàçäàðíóòùè èàè òí áàí è òðàáóàòñý, òí àíáñòí

ìðàáùäóúáè ñòðíèè íáíáðíàèèí àìèñàòù:

Option "Rotate" "inverted" à ìí,ì ñèó÷àà ýòí 180 ãðààóñíà (inverted)

áò ìðèíàð íàñòðíèèè (ðàáí÷èè) xorg.conf:

```
# ./.../
# SaX generated X11 config file
# Created on: 2008-09-06T19:36:05+0300.
#
# Version: 8.1
# Contact: Marcus Schaefer , 2005
# Contact: SaX-User list https://lists.berlios.de/mailman/listinfo/sax-users>
#
# Automatically generated by [ISaX] (8.1)
# PLEASE DO NOT EDIT THIS FILE!
#
```

Section "Files"

```
FontPath "/usr/share/fonts/misc:unscaled"
FontPath "/usr/share/fonts/local"
FontPath "/usr/share/fonts/75dpi:unscaled"
FontPath "/usr/share/fonts/100dpi:unscaled"
FontPath "/usr/share/fonts/Type1"
FontPath "/usr/share/fonts/URW"
FontPath "/usr/share/fonts/Speedo"
FontPath "/usr/share/fonts/PEX"
FontPath "/usr/share/fonts/cyrillic"
FontPath "/usr/share/fonts/latin2/misc:unscaled"
FontPath "/usr/share/fonts/latin2/75dpi:unscaled"
FontPath "/usr/share/fonts/latin2/100dpi:unscaled"
FontPath "/usr/share/fonts/latin2/Type1"
```

```
FontPath "/usr/share/fonts/latin7/75dpi:unscaled"
FontPath "/usr/share/fonts/baekmuk:unscaled"
FontPath "/usr/share/fonts/japanese:unscaled"
FontPath "/usr/share/fonts/kwintv"
FontPath "/usr/share/fonts/truetype"
FontPath "/usr/share/fonts/uni:unscaled"
FontPath "/usr/share/fonts/CID"
FontPath "/usr/share/fonts/ucs/misc:unscaled"
FontPath "/usr/share/fonts/ucs/75dpi:unscaled"
FontPath "/usr/share/fonts/ucs/100dpi:unscaled"
FontPath "/usr/share/fonts/hellas/misc:unscaled"
FontPath "/usr/share/fonts/hellas/75dpi:unscaled"
FontPath "/usr/share/fonts/hellas/100dpi:unscaled"
FontPath "/usr/share/fonts/hellas/Type1"
FontPath "/usr/share/fonts/misc/sgi:unscaled"
FontPath "/usr/share/fonts/xtest"
FontPath "/opt/kde3/share/fonts"
InputDevices "/dev/gpmdata"
InputDevices "/dev/input/mice"
EndSection
```

Section "ServerFlags"

```
Option "AllowMouseOpenFail" "on"
Option "ZapWarning" "on"
EndSection
```

Section "Module"

```
Load "glx"
Load "type1"
Load "extmod"
Load "dbe"
Load "freetype"
EndSection
```

Section "InputDevice"

```
Driver "kbd"
Identifier "Keyboard[0]"
Option "Protocol" "Standard"
Option "XkbLayout" "us,ru"
Option "XkbModel" "microsoftpro"
Option "XkbOptions" "grp:ctrl_shift_toggle,grp_led:scroll"
Option "XkbRules" "xfree86"
Option "XkbVariant" ",winkeys"
EndSection
```

Section "InputDevice"

```
Driver "mouse"
Identifier "Mouse[1]"
```

Option "Buttons" "5"
Option "Device" "/dev/input/mice"
Option "Name" "ImPS/2 Generic Wheel Mouse"
Option "Protocol" "explorerps/2"
Option "Vendor" "Sysp"
Option "ZAxisMapping" "4 5"

EndSection

Section "Monitor"

Option "CalcAlgorithm" "XServerPool"
DisplaySize 386 290
HorizSync 30-81
Identifier "Monitor[0]"
ModelName "SYNCMaster 931C (DIGITAL)"
Option "DPMS"
Option "PreferredMode" "1280x1024"
VendorName "SAMSUNG"
VertRefresh 56-75
UseModes "Modes[0]"

EndSection

Section "Modes"

Identifier "Modes[0]"

EndSection

Section "Screen"

DefaultDepth 24

SubSection "Display"

Depth 15
Modes "1280x1024" "1280x960" "1280x800" "1152x864" "1280x768" "1280x720" "1024x768"
"1280x600" "1024x600" "800x600" "768x576" "640x480"

EndSubSection

SubSection "Display"

Depth 16
Modes "1280x1024" "1280x960" "1280x800" "1152x864" "1280x768" "1280x720" "1024x768"
"1280x600" "1024x600" "800x600" "768x576" "640x480"

EndSubSection

SubSection "Display"

Depth 24
Modes "1280x1024" "1280x960" "1280x800" "1152x864" "1280x768" "1280x720" "1024x768"
"1280x600" "1024x600" "800x600" "768x576" "640x480"

EndSubSection

SubSection "Display"

Depth 8
Modes "1280x1024" "1280x960" "1280x800" "1152x864" "1280x768" "1280x720" "1024x768"
"1280x600" "1024x600" "800x600" "768x576" "640x480"

```
EndSubSection
Device "Device[0]"
Identifier "Screen[0]"
Monitor "Monitor[0]"
EndSection
```

Section "Device"

```
BoardName "GeForce 8500 GT"
BusID "3:0:0"
Driver "nvidia"
Identifier "Device[0]"
Screen 0
# Option "RandRRotation" "on"
Option "Rotate" "Inverted"
VendorName "NVidia"
EndSection
```

Section "ServerLayout"

```
Identifier "Layout[all]"
InputDevice "Keyboard[0]" "CoreKeyboard"
InputDevice "Mouse[1]" "CorePointer"
Option "Clone" "off"
Option "Xinerama" "off"
Screen "Screen[0]"
EndSection
```

Section "DRI"

```
Group "video"
Mode 0660
EndSection
```

Section "Extensions"

```
Option "Composite" "on"
EndSection
```

Ôïðòì [òóò](#)