



```
[KDE:KDE4:Factory:Desktop]
name=KDE:KDE4:Factory:Desktop
enabled=1
autorefresh=1
baseurl=http://download.opensuse.org/repositories/KDE:/KDE4:/Factory:/Desktop/openSUSE_11.1/
type=rpm-md
keeppackages=0
```

```
[Libdvdcss repository]
name=Libdvdcss repository
enabled=1
autorefresh=1
baseurl=http://suse.linuxin.dk/repo/11.1/
type=rpm-md
keeppackages=0
```

```
.....
.....
```

Áíááâëáíèà ðáííçèòìðèý  
Íáðää òàì èàé ìú ñíæáì óñòàíááèèääòú ìàéáòú (íðíáðàììú), ìú áíæáíú ñíá-àèà áíááâèòú ðáííçèòìðèé.  
Íñííáíáý èííáíáà äëý ýóíáí:

```
addrepo, ar
Áñèè ìú èìááì òàéé ñ áàííúìè í ðáííçèòìðèýò òì ñ ìííúð èèþ-à -r ìú ìíæáì áíáñòè èò á ñèñòáìó.
-r - Áíáíáèýáò ðáííçèòìðèé á ñèñòáìó ñ-èòúááý èò èç òàééà File.repo
Áñèè ìú èìááì ááðáñ á ñáòè íà èàòàèíá ðáííçèòìðèéää òì ñèìòàèñèñ áóááò òàéíé:
zypper ar [ñáéò ñ ðáííçèòìðèýìè] [íóæíúé ðáííçèòìðèéé]
```

```
Íðèìáð èñííèüçíááíèý:
zypper ar http://download.videolan.org/pub/vlc/SuSE/11.1 vlc
Áíááâëáíèà ðáííçèòìðèý 'vlc' [áíòíáí]
Ðáííçèòìðèé 'vlc' óñíáðíí áíááâèáí
Áèèþ-, í: Áà
Áàòìíàòè-áñèíá íáííáèáíèà: Íáò
URI: http://download.videolan.org/pub/vlc/SuSE/11.1
```

```
Áñèè ìú èìááì ñáéò ñ òàééàìè .repo á èíòíðúò ñíèñíé ðáííçèòìðèéää òì ñèìòàèñèñ áóááò òàéèì:
zypper ar [ñáéò ñ ðáííçèòìðèýìè] [òàéé.repo]
```

Áñèè ó íáñ áñòú ìàíèà ñ rpm òàééàìè, òì ìú ìíæáì áíááâèòú ááí è ñááá èàè ðáííçèòìðèé.

```
zypper ar [ííòòú è ìàíèá ñ rpm-òàééàìè] local
Íáííáèáíèà ðáííçèòìðèéää
refresh, ref
Íñèá áíááâèáíèý ðáííçèòìðèý èèè èíááà ðáííçèòìðèé ñòáííáèòñý íááèòóáèüíúì íáíáóíáèíì ááí
íáííáèòú. Ííá íáííáèáíèà ìíèìáàòñý ñèá-èááíèà ìàòáááííúò äëý ìàéáòíá è íðáíáðàçíááíèà èò á éýø
.solv äëý áúñòðíáí -òáíèý.
Íðèìáð áúáíáà:
$ zypper refresh
ÁÐáííçèòìðèé 'KDE:KDE4:Factory:Desktop' àèòóáèáí.
```

```

Đáíŕçèòíðèé 'Libdvdcss repository' àèòóàèáí.
Đáíŕçèòíðèé 'Packman Repository' àèòóàèáí.
Đáíŕçèòíðèé 'devel:tools:building' àèòóàèáí.
Đáíŕçèòíðèé 'openSUSE-11.1-Non-Oss' àèòóàèáí.
Đáíŕçèòíðèé 'openSUSE-11.1-Oss' àèòóàèáí.
Đáíŕçèòíðèé 'openSUSE-11.1-Update' àèòóàèáí.
İĩéó÷áí İíáúé èëþ÷, İĩäĩèñúáàþùèé Đáíŕçèòíðèé èèè İàèáò:
ID èëþ÷à: 33DE8FB7C8DA93D2
Èiy èëþ÷à: Dominique Leuenberger (VLC openSUSE Repository)
İòİá÷àòİé èëþ÷à: BC8D780DE3308581B2E0708533DE8FB7C8DA93D2
Đáíŕçèòíðèé: vlc
Õİòèòá İòèèİíèòü èëþ÷, äİááðÿòü äðáİáİİ èèè äİááðÿòü äñáááà? [İ/á/á/?]: á
İĩéó÷áíèá İàòáááİíúõ Đáíŕçèòíðèÿ 'vlc' [äİòİáİ]
Ñáİð éÿøà Đáíŕçèòíðèÿ 'vlc' [äİòİáİ]
Äñá Đáíŕçèòíðèé İáİİáèáíú.
Äñèè àèëþ÷áİİ ààòİíáİİáèáèà äëÿ Đáíŕçèòáðèÿ, òİ ààİ İá İóæİİ ááñİİèİèòüñÿ İá İáİİáèáèèè,
ðáíŕçèòáðèè İáİİáèÿþòñÿ ñàİè èİíáàà ÿòİ İáİáòİáèİİ. İİ İáèİòİðÛá èþàè İðááİİ÷èòáþò èİİòðİèèðİáàòü
İİİáİò èİíáàà İðİèñòİáèò İáİİáèáèáèà, (İáİðèİáð ÷òİáú İáİİáèáèáèá İá İðİèñòİáèèİ èİíáàà áú İðİñòİ òİòèòá
İİñİİððáòü 'zypper info krusader').
Äñèè òðááóáòñÿ İáİİáèò òİèüèİ İáèè Đáíŕçèòíðèé:
zypper ref [èiy Đáíŕçèòíðèÿ] main
Äëÿ İðèİóáèòáèüİíáİ İáİİáèáèáèÿ Đáíŕçèòíðèÿ:
zypper ref -f [èiy Đáíŕçèòíðèÿ]
Óáàèáèáèáèá Đáíŕçèòáðèÿ
removereпо èèè rr
Óáàèÿáò Đáíŕçèòáðèé à òáèæá òáàèÿáò ññüèèó İá Đáíŕçèòáðèé èç áàçú, ò.á. İðè İİèñèá İàèáòİá è
İáİİáèáèáèè ÿòİò Đáíŕçèòáðèé áİèüøá ó÷èòüáàòüñÿ İá áóááò. Óáàèÿòü İİæİİ èàè İİ URL (ññüèèá İá
Đáíŕçèòáðèé), òáè è İİ İàñèá.
İðèİáð:
$ zypper rr vlc
Óáàèáèáèáèá Đáíŕçèòíðèÿ 'vlc' [äİòİáİ]
Đáíŕçèòíðèé 'vlc' óáàè,İ.
Èçİáİáèáèá Đáíŕçèòáðèèáá
modifyrepo, mr
İðèİáðü èñİİèüçİáááèÿ:
Çáİðáòèòü Đáíŕçèòáðèé #6
$ zypper mr -d 6
Repository 'repo-non-oss' has been sucessfully disabled.
Đàçðáøèòü ààòİíáİİáèáèá è èáøèðİáàèáèá rpm òáèèİá äëÿ Đáíŕçèòáðèÿ 'packman' è óñòáİíáèòü
İðèİðèòáò 70:
$ zypper mr -rk -p 70 packman
Autorefresh has been enabled for repository 'packman'.
RPM files caching has been enabled for repository 'packman'.
Repository 'packman' priority has been set to 70.
Çáİðáòèòü èáøèðİáàèáèá RPM òáèèİá äëÿ äñáò Đáíŕçèòáðèèáá:
$ zypper mr -Ka
Nothing to change for repository 'local'.
RPM files caching has been disabled for repository 'packman'.
Nothing to change for repository 'fate'.

```

Nothing to change for repository 'upd'.  
Nothing to change for repository 'repo-oss'.  
Nothing to change for repository 'repo-non-oss'.  
Ðàçðáðèòü èáðèðíááíèá òáéèíá RPM äëÿ áñáð ðáíñçèòàðèèáá:  
\$ zypper mr -ka  
RPM files caching has been enabled for repository 'repo-non-oss'.  
RPM files caching has been enabled for repository 'Main Repository (OSS)'.  
RPM files caching has been enabled for repository 'Main Repository (NON-OSS)'.  
RPM files caching has been enabled for repository 'openSUSE-11.1-Updates'.  
Ïáðáèíáííáíèá ðáíñçèòàðèÿ  
namerepo, nr  
Äëÿ ïáðáèíáííáíèáíèáíèá ðáíñçèòàðèÿ á òááéèòá ñèíòáèñèñ áóááð òáèèè

zypper nr [ííáð ïá èíòíðüí ïáðíáèòñÿ ðáíñçèòàðèèé á òááéèòá][ííáíá èíÿ]

Äáííáÿ èííáíáá ñáé÷-áñ ïíæáð èçíáíÿòü òíèüèí 'alias' ðáíñçèòàðèÿ. Áñèè Áú òíðèòá èçíáíèòü ïòíáðáæááíá èíÿ, áíñíèüçóéóáñü èííáííé mr.

### Èííðò/Ýéñíðò

repos --export, lr -e  
Áú ïíæáðá ýéñíðòèðíááòü ñíèñíé áñáð ááðèð ðáíñçèòàðèèáá è èííðòèðíááòü ááí ïíçæá èèè èííðòèðíááòü ïá äðóáíé ïàðéíá.  
Óíðááéáíèá ïàéáòáè  
Óéàçáíèá ïàéáòáíá  
Áñòü ïáñèíèüèí ñíñííáíá äëÿ óéàçáíèá ïàéáòá, èíòíðüá áú òíðèòá óááéèòü èèè óñðáííáèòü.  
íí èíáíè ïðèèíæáíèÿ zypper in eclipse, zypper in qt  
íí èíáíè ïðèèíæáíèÿ è/èèè ïí áððèòáéèòóðá è/èèè ááðñèè zypper in 'zypperíí èíáíè ïàéáòá (--name)  
zypper in -n ftp  
íí èíáíè ïàéáòá è ðáíñçèòàðèè (implies --name) zypper in factory:zypper  
íí èíáíè ïàéáòá ñ èñíèüçíáíèáí ïáñèè zypper in yast\*ftp\*  
óéàçúááÿ .rpm òáéé ïàéáòá äëÿ óñòáííáèè  
Óñòáííáèá ïàéáòáíá  
Íñííáíáÿ èííáíáá:  
install, in [èíÿ ïàéáòá]  
Áú ïíæáðá óñòáííáèòü ïàéáòü íí èíáíè...  
\$ zypper install git  
Çáððóçèá ááííüð ðáíñçèòàðèÿ...  
xðáíèá óñòáííáèáííüð ïàéáòá...  
Ðàçðáðèáíèá çáàèñèíñòáé ïàéáòá...

Áóáòð óñòáííáèáííü ñèááóðüèá ÍÁÚÁ ïàéáòü:  
cvs cvsps git git-arch git-core git-cvs git-email git-gui gitk git-svn git-web libapr1  
libapr-util1 subversion subversion-perl tla

Ïíèíüé ðàçíáð çáððóçèè: 5,9 M. Íñèá ýóíé ïíðáðèè áóááð èñíèüçíááíí áíñíèèòáèüíí 22,7 M.  
Ïðíáíèæèòü? [áà/íáð]: y  
Ïíéó÷áíèá ïàéáò tla-1.3.3-53.93.i586 (1/16), 500,0 K (1,5 M ïñèá ðáñíáèíáèè)  
Óñòáííáèá: tla-1.3.3-53.93 [áíðíáí]

```

Īĭėó÷áĭèà ĩàêâò libapr1-1.3.3-12.1.i586 (2/16), 128,0 K (291,0 K ĩĭĕă ðàĭĭàêĭâêè)
Óĥòàĭĭâêà: libapr1-1.3.3-12.1 [ăĭòĭâĭ]
Īĭėó÷áĭèà ĩàêâò cvsps-2.1-163.35.i586 (3/16), 55,0 K (120,0 K ĩĭĕă ðàĭĭàêĭâêè)
Óĥòàĭĭâêà: cvsps-2.1-163.35 [ăĭòĭâĭ]
Īĭėó÷áĭèà ĩàêâò cvs-1.12.12-144.28.i586 (4/16), 377,0 K (899,0 K ĩĭĕă ðàĭĭàêĭâêè)
Óĥòàĭĭâêà: cvs-1.12.12-144.28 [ăĭòĭâĭ]
Īĭėó÷áĭèà ĩàêâò git-core-1.6.0.2-6.12.1.i586 (5/16), 2,1 M (8,7 M ĩĭĕă ðàĭĭàêĭâêè)
Īĭėó÷áĭèà: git-core-1.6.0.2-6.12.1.i586.rpm [ăĭòĭâĭ (66,6 K/s)]
Óĥòàĭĭâêà: git-core-1.6.0.2-6.12.1 [ăĭòĭâĭ]
Īĭėó÷áĭèà ĩàêâò libapr-util1-1.3.4-13.1.i586 (6/16), 93,0 K (201,0 K ĩĭĕă ðàĭĭàêĭâêè)
Óĥòàĭĭâêà: libapr-util1-1.3.4-13.1 [ăĭòĭâĭ]
Īĭėó÷áĭèà ĩàêâò git-web-1.6.0.2-6.10.i586 (7/16), 60,0 K (198,0 K ĩĭĕă ðàĭĭàêĭâêè)
Óĥòàĭĭâêà: git-web-1.6.0.2-6.10 [ăĭòĭâĭ]
Īĭėó÷áĭèà ĩàêâò git-gui-1.6.0.2-6.10.i586 (8/16), 151,0 K (697,0 K ĩĭĕă ðàĭĭàêĭâêè)
Óĥòàĭĭâêà: git-gui-1.6.0.2-6.10 [ăĭòĭâĭ]
Īĭėó÷áĭèà ĩàêâò git-1.6.0.2-6.12.1.i586 (9/16), 12,0 K (3,0 K ĩĭĕă ðàĭĭàêĭâêè)
Īĭėó÷áĭèà: git-1.6.0.2-6.12.1.i586.rpm [ăĭòĭâĭ]
Óĥòàĭĭâêà: git-1.6.0.2-6.12.1 [ăĭòĭâĭ]
Īĭėó÷áĭèà ĩàêâò git-arch-1.6.0.2-6.12.1.i586 (10/16), 29,0 K (56,0 K ĩĭĕă ðàĭĭàêĭâêè)
Īĭėó÷áĭèà: git-arch-1.6.0.2-6.12.1.i586.rpm [ăĭòĭâĭ]
Óĥòàĭĭâêà: git-arch-1.6.0.2-6.12.1 [ăĭòĭâĭ]
Īĭėó÷áĭèà ĩàêâò git-email-1.6.0.2-6.12.1.i586 (11/16), 30,0 K (58,0 K ĩĭĕă ðàĭĭàêĭâêè)
Īĭėó÷áĭèà: git-email-1.6.0.2-6.12.1.i586.rpm [ăĭòĭâĭ (541 B/s)]
Óĥòàĭĭâêà: git-email-1.6.0.2-6.12.1 [ăĭòĭâĭ]
Īĭėó÷áĭèà ĩàêâò gitk-1.6.0.2-6.12.1.i586 (12/16), 92,0 K (349,0 K ĩĭĕă ðàĭĭàêĭâêè)
Īĭėó÷áĭèà: gitk-1.6.0.2-6.12.1.i586.rpm [ăĭòĭâĭ (7,7 K/s)]
Óĥòàĭĭâêà: gitk-1.6.0.2-6.12.1 [ăĭòĭâĭ]
Īĭėó÷áĭèà ĩàêâò git-cvs-1.6.0.2-6.12.1.i586 (13/16), 75,0 K (234,0 K ĩĭĕă ðàĭĭàêĭâêè)
Īĭėó÷áĭèà: git-cvs-1.6.0.2-6.12.1.i586.rpm [ăĭòĭâĭ]
Óĥòàĭĭâêà: git-cvs-1.6.0.2-6.12.1 [ăĭòĭâĭ]
Īĭėó÷áĭèà ĩàêâò subversion-1.5.2-11.13.i586 (14/16), 1,3 M (5,3 M ĩĭĕă ðàĭĭàêĭâêè)
Óĥòàĭĭâêà: subversion-1.5.2-11.13 [ăĭòĭâĭ]
Īĭėó÷áĭèà ĩàêâò subversion-perl-1.5.2-11.13.i586 (15/16), 845,0 K (4,0 M ĩĭĕă ðàĭĭàêĭâêè)
Óĥòàĭĭâêà: subversion-perl-1.5.2-11.13 [ăĭòĭâĭ]
Īĭėó÷áĭèà ĩàêâò git-svn-1.6.0.2-6.12.1.i586 (16/16), 74,0 K (210,0 K ĩĭĕă ðàĭĭàêĭâêè)
Īĭėó÷áĭèà: git-svn-1.6.0.2-6.12.1.i586.rpm [ăĭòĭâĭ (11,9 K/s)]
Óĥòàĭĭâêà: git-svn-1.6.0.2-6.12.1 [ăĭòĭâĭ]
Ā çàĭĭĭă ĩĭăĭĭ óêàçúââòü êâêóp ââĭĭĕp ĭĭăĭĭâĭü âü ôĭĭèòâ óĭòàĭĭâêòü
$ zypper in MozillaFirefox >= 3
Reading installed packages...

```

The following packages are going to be upgraded:  
 mozilla-xulrunner190-translations MozillaFirefox mozilla-xulrunner190-gnomevfs  
 mozilla-xulrunner190 MozillaFirefox-translations

The following package is going to be REMOVED:  
 mozilla-xulrunner190-lang



Overall download size: 1.5 M. After the operation, additional 6.7 M will be used.

Continue? [YES/no]:

Åú îæåòå òñòàííæòü òíëüêí ìæåòü ñ êñòíáíúí êíáíí èèè òíëüêí çàåèñèííñòè äëý ñáíðèè:
zypper in -D [íðíãðàííà] # òñòàííæòü òíëüêí ìæåòü ñ êñòíáíæèèè (ááç çàåèñèííñòèé ñáíðèè)
zypper in -d [íðíãðàííà] # òíëüêí çàåèñèííñòè ñáíðèè (ááç ìæåòíà êñòíáíæèí)
Íáííæåáíèè ìæåòíà
update, up
Äëý íáííæåáíèè áñãð ìæåòíà ñèíòàèñèñ òàèíé
zypper up

Åñèè òðååóóðñý íáííæåáíèè òíëüêí íáííáí êíííáíáíòà òí ñèíòàèñèñ áóååò òàèè

zypper up [Íðíãðàííà êíòíðóð ìæíí íáííæòü]

Çáíðíñú

Íñèé ìæåòíà

Íñííáíáý êííáíáà:

search, se

Èúåò ìæåòü íí ìàñèá (ìàñèá á ááíííí ñèó-ááí ýòí èèáí ííííá èíý ìæåòå, èèáí ááí -àñòü). Íðèèèàåò á
èà-áñòåå ìæòáíòðíà ñèååóðèèè èèåè:

--match-all - Íñóúáñòæëýåò íñèé ìà ñíòååòñòæèá áñáí óèàçáííúí ìàñèá (íí òííè-àíèð)

--match-any - Íñóúáñòæëýåò íñèé ìà ñíòååòñòæèá èðáíé èç óèàçáííúí ìàñíé

--match-substrings - Èñííëüçóáíúá ìàñèè ìáóò áúüü -áñòüð ñèíáà (íí òííè-àíèð)

--match-words - Èñííëüçóáíúá ìàñèè ìáóò áúüü òíëüêí óæèíí ñèíáí

--match-exact - Èúåò íí òí-íííó èíáíé ìæåòå

-d, - Èúåò ìàñèó òàè æá á ðáçðíà è ñíèñáíèè ìæåòå

-c, - Áèèð-ååò ðáæèè ðáåèñòðíçàåèñèííñòè

-i, - Íòíáððæååò òíëüêí óæá òñòàííæåáííúá ìæåòü

-u, - Íòíáððæååò òíëüêí ìà òñòàííæåáííúá ìæåòü

-t, - Èúåò òíëüêí ìæåòü ñðååèéáííáí òèíà

--sort-by-name - Ñíðòèððóóò ìæåòü íí èíáíé (íí òííè-àíèð)

--sort-by-catalog - Ñíðòèððóóò ìæåòü íí ðáííçèòíðèýí, á êíòíðüó ííè áúèè íæååáíú

Íðèíáð:

\$ zypper se sqlite

Reading installed packages...

S	Name	Summary	Type
	libapr-util1-dbd-sqlite3	DBD driver for SQLite 3	package
i	libgda-3_0-sqlite	Sqlite Provider for GNU Data Access (GDA)	package
	libqt4-sql-sqlite	Qt 4 sqlite plugin	package
i	libssqlite3-0	Shared libraries for the Embeddable SQL Database Engine	package
	libssqlite3-0-32bit	Shared libraries for the Embeddable SQL Database Engine	package
	mediatomb-sqlite	UPnP AV MediaServer	package
i	mono-data-sqlite	Database connectivity for Mono	package
	pdns-backend-sqlite2	SQLite 2 backend for pdns	package
	pdns-backend-sqlite3	SQLite 3 backend for pdns	package
i	perl-DBD-SQLite	The DBD::SQLite is a self contained RDBMS in a DBI driver	package
i	php5-sqlite	PHP5 Extension Module	package
	python-sqlite2	Python bindings for sqlite 2	package

```

| qt3-sqlite          | SQLite Database Plug-In for Qt          | package
| rekall-sqlite      | Rekall sqlite Database Backend          | package
| rubygem-sqlite3    | A Ruby interface for the SQLite3 database engine | package
i | sqlite2            | Embeddable SQL Database Engine          | package
| sqlite2-32bit      | Embeddable SQL Database Engine          | package
| sqlite2-devel      | Embeddable SQL Database Engine          | package
i | sqlite3            | Embeddable SQL Database Engine          | package
| sqlite3-devel      | Embeddable SQL Database Engine          | package
| sqlite3-tcl        | Tcl binding for SQLite                  | package
| tntdb1-sqlite      | Tntdb is a c++-class-library for easy database-access - sqlite | package
| ulogd-sqlite       | SQLite output plugin for ulogd

```

i â ĩãðáíé ēīēīēá óēàçúâââð íà òí, ÷òí ĩàēâð óæá óñòàíīâēáí. Äēÿ ĩðīñīīòðà àñãð àīñòóíīúò áâðñēé ĩàēâðà èñīīēüçóéðâ èēþ÷ -s

\$ zypper search -s --match-exact virtualbox-ose  
 Reading installed packages...

S	Name	Type	Version	Arch	Repository
v	virtualbox-ose	package	1.6.2-2.1	x86_64	VirtualBox OSE
i	virtualbox-ose	package	1.5.6-33.1	x86_64	openSUSE-11.1-Oss
v	virtualbox-ose	package	1.5.6-20.5	x86_64	VirtualBox OSE (
v	virtualbox-ose	package	1.6.2-2.1	i586	VirtualBox OSE
v	virtualbox-ose	package	1.5.6-33.1	i586	openSUSE-11.1-Oss
v	virtualbox-ose	package	1.5.6-20.3	i586	VirtualBox OSE

i ĩçíà÷ââð ÷òí ààííàÿ áâðñēÿ óæá óñòàíīâēáíà, v ĩçíà÷ââð, ÷òí ĩàíà èç áâðñēé ÿòíāī ĩàēâðà óæá óñòàíīâēáíà.

Äðóãēâ ĩðēìáðû:

zypper se -dC --match-words RSI # ĩīēñē àèðííēìà RSI (÷óãñòàèèòàèüíí ē ðããēñòðó), òàè á èðàòèīī è ĩãðáííī ĩīēñàíēÿð

zypper se 'yast\*' # ĩīēàçàòù àñã ĩàēâðù ìà÷èíàðùèãñÿ íà 'yast'

zypper se -r packman # ĩīēàçàòù àñã ĩàēâðù èç ðãñīçèðàðèÿ 'packman'

zypper se -i sqlite # ĩīēàçàòù àñã óñòàíīâēáíúâ ĩàēâðù, ñīããðæàùèè ñòðíèó 'sqlite' á èð èìáé

zypper se -t pattern -r repo-oss # ĩīēàçàòù àñã øàáēííú èç ðãñīçèðàðèÿ 'repo-oss'

zypper se -t product # ĩīēàçàòù ñīēñíē àñãð àīñòóíīúò ĩðíãóèòâ

Īīèó÷áíèà èíóíðìàòèè ĩ àēâðà

info, if

\$ zypper info amarok

Çããðóçèà ààííúð ðãñīçèðàðèÿ...

xðáíèè óñòàíīâēáíúâ ĩàēâðíâ...

Ñãããáíēÿ - ĩàēâð amarok:

Ðãñīçèðàðèè: Packman Repository

Èíÿ: amarok

Áâðñēÿ: 1.4.10-100.pm.2

Àðèèòàèèðòðà: i586

Īðíçãíâèðàèü: packman.links2linux.de

Óñòàííâëáí: Íáò

Ñíñòíÿíèá: íá óñòàííâëáí

Ðàçíáð ïíñèá óñòàííâèè: 9,3 M

Ñáíâèà: Media Player for KDE

Îíèñáíèà:

Amarok is a media player for all kinds of media, supported by aRts, GStreamer or Xine (depending on the packages you install). This includes MP3, Ogg Vorbis, audio CDs and streams.

It also supports audio effects of all kinds that are provided by aRts.

Playlists can be stored in .m3u or .pls files.

Amarok also provides audio file collection management, by using either an embedded sqlite3, a MySQL or a PostgreSQL database.

êííàíàâ ïðíáððæàâð èíðíðíàðèð í ìàèàðâ 'amarok'

Ãðóàèá ïðèíáðú:

zypper info -t patch [èÿ ïðíáððàííú] # ïíèàçàòü èíðíðíàðèð í ìàð-á è ïðíáððàííà

zypper info -t pattern [èÿ ïðíáððàííú] # ïíèàçàòü èíðíðíàðèð í øàáéííá ïðíáððàííú

zypper info -t product [èÿ ïðíáððàííú] # ïíèàçàòü èíðíðíàðèð íá óèàçáííí ïðíáððèà

Çàâèñèííñðè

what-provides, wp

Ñíèñíè ìàèàðíá èíðíðíà ïðááíñòàáèÿðò ïðíáððàííó:

\$ zypper wp firefox

Çàâððóçèà àáííüð ðáíñçèòíðèÿ...

×ðáíèá óñòàííâèáííüð ìàèàðíá...

Ñ | Èÿ | Òè | Ááðñèÿ | Àððèðàèòððà | Ðáíñçèòíðèé

-----+-----+-----+-----+-----

i		MozillaFirefox		ìàèàð		3.0.8-1.1.1		i586		openSUSE-11.1-Update
v		MozillaFirefox		ìàèàð		3.0.7-1.1.6		i586		openSUSE-11.1-Update
v		MozillaFirefox		ìàèàð		3.0.6-0.1.2		i586		openSUSE-11.1-Update
v		MozillaFirefox		ìàèàð		3.0.5-1.1		i586		openSUSE-11.1-Update
v		MozillaFirefox		ìàèàð		3.0.4-4.6		i586		openSUSE 11.1-0
v		MozillaFirefox		ìàèàð		3.0.4-4.6		i586		openSUSE-11.1-Oss

Áéíèèðíâèè ìàèàðíá

locks èèè ll addlock èèè al removelock èèè rl

Áéíèèðíâèè ìàèàðíá ñèóæàò àèÿ ïðááíððàðàííèÿ èçíáíáíéé á ìàèàðàð á ñèñòáíá. ìàèàðü àèÿ èíðíðíü àñòü àèðèáíàÿ áéíèèðíâèè íá ïíáóð èçíáíèòü ñáíé ñòàðóñ; óñòàííâèáííüá ìàèàðü íá ïíáóð áúðü óààèáíü èèè íáííâèáíü, áúá íá óñòàííâèáíüá ìàèàðü íá ïíáóð áúðü óñòàííâèáíü.

Ñèòàèñèñ

zypper al [èÿ ïðíáððàííú]

Ãñèè òðááóáðñÿ çàáéíèèðíâèèòü íáñèíèüèí ìàèíáèííüð ïðèéíæáíéé ìà-èíàððèòñÿ íá ìáíí ñèíáí òí áéííóá èíáíè ìáíí óñòàííâèèòü çá,çáí-éó

Îðèíáð èñííèüçíááíèÿ:

\$ zypper al 'yast2\*'

Reading installed packages...

Specified lock has been successfully added.

Ñíèñíè àèòèáííüð áéíèèðíâèè:

\$ zypper ll

# | Name | Type | Repository



Overall download size: 534.0 K. After the operation, additional 1.9 M will be used.

Continue? [YES/no]:

Óĩðààèáíèà íáííàèáíèýìè

Åñòù ààà ñíííàà ñĩððáíáíèý ñèñòáíù á àèòòáèúíí ñíñòíýíèè. Íàèí ñíííàáí íà ìàò÷àð, àòíðíé íà ìàèàòàð. Íàòíà ñíííàáíúé íà ìàò÷àð àèòòáèáí àèý èðááé èñííèùçòðùèð ñòááèèúíúé ðáèèç è æáèàðùèð íáííàèòù ñáíð ñèñòáíù ñ ñííùùð ìàò÷àé, èíòíðùá ñòáííàýòñý áíñòóííù ÷áðáç ðáííçèòàðèè íáííàèáíèý. Ðáííçèòàðèè íáííàèáíèý áíáááèýðòñý ïí òííè÷áíèð áí áðáíý òñòáííàèè èèè àíððáéàà ñèñòáíù, èèè ííè ìáòð áúòù áíáááèáíù ÷áðáç èííòèáòðàèèð ííèáéí íáííàèáíèý èç áèèààèè Ìðíððáíííá íááñíá÷áíèà á òáíòðá òĩðààèáíèý YaST.

Å YaST ýéàèààèáíòíí ýòíé òóíèèèè ýàèýàòñý ìáòéü Ñáòááíá íáííàèáíèà.

Åòíðíé ìàòíà, ñíííàáíúé íà ìàèàòàð ìèñáí á ñáèèèè íáííàèáíèà ìàèàòíà è ñèóæèò àèý íáííàèáíèý ìàèàòíà èç èðáúò ðáííçèòàðèèáá áí áíèáá ííáúò ááðñèé.

Ñíèñíè íáííàèáíèúò ìàò÷àé (èñíðààèáíèé)

list-patches èèè lp

Àèý ìðíííòðà áñáð ìàò÷àíáííàèáíèé áúííèíèòà:

\$ zypper lp

Reading installed packages...

Patches

Repository | Name | Version | Category | Status

-----+-----+-----+-----+-----

Updates for 11.1 | KDE4-fixes | 38 | recommended | Needed

Updates for 11.1 | MozillaFirefox | 50 | recommended | Needed

Updates for 11.1 | NetworkManager-kde | 49 | recommended | Needed

Èííáàà ìòíáðàæàðòñý òíèüèí íáííàèáíèý íáíááæáðà ìàèàòíà, ííè áíèæáíù áúòù òñòáííàèáíù ìáðáúíè.

Ìñèá òíáí èàè ííè òñòáííàèáíù, ìñòàèèúíá íáííàèáíèý áóáóò ìòíáðàæáíù ìíñèá áúííèíàíèý ýòíé èííáíáú. ìðèíáíáíèà ìàò÷àé

Àèý ìðèíáíáíèý íáííàèáíèúò ìàò÷àé áúííèíèòà:

\$ zypper patch

Reading installed packages...

The following packages are going to be upgraded:

NetworkManager-kde mozilla-nss mozilla-nspr kde4-korganizer

The following NEW patches are going to be installed:

NetworkManager-kde MozillaFirefox KDE4-fixes

Overall download size: 2.9 M. After the operation, additional 283.0 K will be used.

Continue? [YES/no]:

Ìðíííòð áñáð ìàò÷àé

Èííáàà list-updates ìòíáðàæàðò òíèüèí íáííàèáíèúá íáííàèáíèý. Àèý ìðíííòðà áñáð áíñòóííùò íáííàèáíèé èñííèùçòéòà:

\$ zypper patches

Reading installed packages...

Catalog	Name	Version	Category	Status
Updates for 11.1	KDE4-fixes	38	recommended	Installed
Updates for 11.1	MozillaFirefox	50	recommended	Installed
Updates for 11.1	NetworkManager-kde	49	recommended	Installed
Updates for 11.1	autoyast2	37	recommended	Installed
Updates for 11.1	courier-authlib	42	security	Not Applicable
Updates for 11.1	insserv	47	recommended	Installed
Updates for 11.1	opera	43	security	Installed

```

$ zypper pchk
Reading installed packages...
0 patches needed (0 security patches)
$ zypper info -t patch MozillaFirefox
Reading installed packages...

```

Information for patch MozillaFirefox:

```

Name: MozillaFirefox
Version: 50
Arch: noarch
Vendor: maint-coord@suse.de
Status: Installed
Category: recommended
Created On: Thu 01 Jan 1970 01:00:00 AM CET
Reboot Required: No
Package Manager Restart Required: No
Interactive: No
Summary: Mozilla Firefox 3.0
Description:
This patch updates Mozilla Firefox to the final 3.0 version.

```

The dependend libraries mozilla-xulrunner190, mozilla-nspr and mozilla-nss were also brought to their release version.

```

$ zypper list-updates
update
$ zypper update
$ zypper list-updates

```

zypper lu -a

Íà òíáðàçèò àñá òèáòù äñòóííúá äëý íáííæáíëý, íàçàæñèì ò òíáí áíçìæíí èè èð òñòàííæòù èèè íàò, èèè ïè òðááòòò ïíëüçíáàòáëüñéíáí àíáðàòáëüñòàà äëý ðàçðáðáíëý èàèèð-èèáí ïðíáèáí.

Àíáðáéá äèñòðéáóòèáà

dist-upgrade èèè dup

Ýòà èííáíáà èñííëüçóáò àèáíðèòì àíáðáéáà äèñòðéáóòèáà, èíòíðúé íáíáðóæèáááò ðàçáéáíèá ïàèáòíá, íáííáááðæèáááíúá ïàèáòù è äðóáíá. Èñííëüçóéòá áá äëý íáííæáíëý áí ííáíáí ðáèèçà äèñòðéáóòèáà.

Ðáéííáíáóáòñý ðàçðáðáòù òíëüéí ïñííáííé ðáííçèòàðèé äèñòðéáóòèáà èíòíðúé áú òíðèòá òñòàííæòù ïèðñ íáñéíèüí ááæíúð ðáííçèòàðèéá, èíòíðúá Áú èñííëüçóáòá (áúá èó-ðá èð ááðñèè á ñíðááòñòáèá ñ òáéóúèí ïñííáííí ðáííçèòàðèéá) áí áðáíý àíðáðáéáà äèñòðéáóòèáà. Áú ïíæáòá ýòí ñááèáòù çàíðáòèá ñòáðúá ðáííçèòàðèé èñííëüçóý zypper mr -da, è áíáááèá ííáúá ðáííçèòàðèé -áðáç zypper ar è áúííéíèòá zypper dup. Áú òàéæá ïíæáòá óèàçàòù èàèèá ðáííçèòàðèé èñííëüçíáàòù èñííëüçóð ïíèð --repo: zypper dup -r repo1 -r repo2 ...