

## **Jabber éëëáíò Psi+**

**Đaçääë : Íañòðíéëà jabber éëëáíòíá!**

Îíóáëëêîââîî [Solnechnyi\\_z](#) [20/09/2009]

**Îñëñàíëà:**

**Psi+** - jabber éëëáíò íà ïñííââ **Psi**, áæääíáâîî ñíááððáíñòáóðùèéëñý è äîññéýðùèéëñý.

Äëý êîððáëòííé ðááíòò ðáëñíáíáóáòñý íáííâèòò Qt-libs íà **4.5.1** èëè áùøá.

Õèòàòà:

```
alex@localhost:~> rpm -qa | grep qt4
```

```
python-qt4-4.4.4-2.1
```

```
qt4-qtscript-debuginfo-0.1.0-6.3
```

```
libqt4-devel-doc-4.5.1-49.1
```

```
libqt4-sql-mysql-4.5.1-49.1
```

```
libqt4-sql-4.5.1-47.1
```

```
libqt4-debuginfo-4.5.1-47.1
```

```
libqt4-qt3support-4.5.1-47.1
```

```
libqt4-devel-doc-data-4.5.1-49.1
```

```
libsvnqt4-1.0.2-1.42
```

```
qt4-qtscript-debugsource-0.1.0-6.3
```

```
libqt4-debugsource-4.5.1-47.1
```

### **libqt4-4.5.1-47.1**

```
qt4-x11-tools-4.5.1-49.1
```

```
qt4-qtscript-0.1.0-6.3
```

```
libqt4-sql-unixODBC-4.5.1-49.1
```

```
python-qt4-debuginfo-4.5-13.1
```

```
libqt4-x11-4.5.1-47.1
```

```
python-qt4-debugsource-4.5-13.1
```

```
qt4-qtscript-doc-0.1.0-6.3
```

```
libqt4-devel-4.5.1-47.1
```

**Óñòàííâèà:**

Ñááæëé ìàèáò áñáááà ìíæíí íáéòè ïí ýòíé ññùèèà:

<http://code.google.com/p/psi-dev/downloads/list?can=2&q=openSUSE&colspec=Filename+Summary+Uploaded+Size+DownloadCount>

äëý **i586**:

<http://psi-dev.googlecode.com/files/psi-plus-v0.14.934-beta-opensuse-qt451-20090818-i586.rpm>

äëý **amd64**: [http://psi-dev.googlecode.com/files/psi-plus-0.14.963-opensuse\\_x86\\_64.rpm](http://psi-dev.googlecode.com/files/psi-plus-0.14.963-opensuse_x86_64.rpm)

1. ñèà÷-èääàì ìàèáò (ññùèèè áùøá)

2. óñòàííâèèääàì

Õèòàòà:

```
# rpm -ihv psi-plus-v0.14.934-beta-opensuse-qt451-20090818-i586.rpm
```

(èëè psi-plus-0.14.963-opensuse\_x86\_64.rpm, çáâèñèò ìò àðçèòáèòóðù)

Äëÿ ðóññèðèèàòèè ïðíäðàìì:

1. ñèà÷èààì [http://psi-ru.googlecode.com/files/Psi\\_ru\\_05\\_Jul\\_2009.zip](http://psi-ru.googlecode.com/files/Psi_ru_05_Jul_2009.zip)

2. ðàññèèíàùààì á òàíèó ñ ïðèèíæáíèàì

Öèòàòà:

```
alex@localhost:/usr/local/share/psi> ls | grep ru
```

```
psi_ru.qm
```

```
qt_ru.qm
```

Íàñòðíèèà:

1. Ìáíp > Äèèàóíòù

2. áúáèðààì íóíèò "Äíáààèòü"

3. ïðèñáèèààì àìó èìÿ, è ñòààèì ãàèí÷èó "Çàðáãèñòèðèíàòù ííáúé àèèàóíò"

4. áâíàèì ñàðáàð (support-pc.ru, jabber.ru, xmpp.ru, jabber.org, òññÿ÷è è èõ!)

5. áâíàèì èìÿ ïñüçíàòàèÿ è ïàðíèü

Òáñàðü Ìáíp > Äíèòè à èííòàðíòèð

Ä ïæíí ïàñòðíèèòù çàèèààèè. Ìðááíé èíííèé ìøè ïà èìáíé àèèàóíòà > Çàèèààèè > Óíðààèáíèà.

6. Äëÿ ðóññèðèèàòèè ïðíäðàìì áúññèèòà ááííúé ñèðèò:

```
#!/bin/bash
```

```
#
```

```
cd /usr/local/share/psi
```

```
wget http://psi-ru.googlecode.com/files/Psi\_ru\_%280.13\_off%29\_15\_Jul\_2009.zip
```

```
unzip Psi_ru_(0.13_off)_15_Jul_2009.zip
```

```
rm Psi_ru_(0.13_off)_15_Jul_2009.zip
```

Äèèàà çàíóñèààòà Psi+, Ìáíp > Ñíáíèèòù ïðíòèèü, è áúáàðàòà ðóññèèé ÿçúè.